



高品质 清洁设备制造商

*High-quality cleaning
equipment manufacturer*



浙江台州财京清洗设备有限公司
Zhejiang Taizhou Caijing Cleaning Equipment Co., Ltd.

邮箱: gmh@tzcaijing.com
电话: 13073800001 13634055789
地址: 浙江台州

Email: gmh@tzcaijing.com
Phone: 13073800001 13634055789
Address: Zhejiang Taizhou

台州财京清洗设备有限公司
Taizhou Caijing Cleaning Equipment Co., Ltd.



公司简介 Company Profile

台州财京清洗设备有限公司专业生产高压清洗机、超高压清洗机、锂电无线清洗机、独家研发专利，出口资质齐全，各款产品皆可定制。自有电机生产线、塞泵生产线等多条安装生产线，锂电柱塞泵锂电水枪获得多项国家专利。可根据需求做改色/彩印/贴标等处理。

本公司拥有多名资深设计师，满足各类客户的设计需求。现货充足，产品种类丰富，款式新颖是公司的合作优势。为满足客户需求，公司仓库常年储备各种锂电工具现货。支持OEM、ODM两种模式，支持客户的要求。

Taizhou Caijing Cleaning Equipment Co., Ltd. specializes in the production of high-pressure cleaning machines, ultra-high pressure cleaning machines, lithium battery wireless cleaning machines. It has exclusive research and development patents, complete export qualifications, and can customize all products. It has its own motor production line, pump assembly line, etc., and lithium battery piston pumps and lithium battery water guns have obtained multiple national patents. Color modification, color printing, labeling and other treatments can be done according to requirements.

Our company has many senior designers to meet the design needs of all types of customers. There is an abundant stock, a rich variety of products, and novel styles are the competitive advantages of our company. To meet customer needs, the company's warehouse always reserves various lithium battery tools in stock. It supports both OEM and ODM models and supports customers' requirements.



锂电洗车机系列

Lithium battery car washing machine series

01 高效电机; 强劲动力输出
High-efficiency motor; Strong power output

02 智能控制; 精准调节水压
Intelligent control; Precise adjustment of water pressure

03 动力强劲; 寿命更长
Powerful; Longer lifespan

清洗充气两用清洗机

2-in-1 Pressure Washer&Tire Inflator

LY-01

参数: 枪体ABS、增压泵尼龙、功率360 W、电压21 V、气泵22缸、续航15-20分钟、充电3-4小时。

配置: 十六柱塞无刷电机(液晶显示屏, 清洗模式三档调压, 充气模式四档调压), 3000mAh (10节) 电池1块、充电器1个、泡沫壶1个、过滤网1个、水管5米、快接头1个、六合一枪杆1根、充气管1根、补胎配件1套、吹塑工具箱1个。

功能: 清洗功能的水压力2.6 MPa、流量6 L/min、显示屏三档调压。充气功能分为轿车充气和越野车充气(充气时长5-6分钟)、显示屏四档模式切换(轿车2.5-2.6档, 越野车2.7-2.8档)。

Parameters: Gun body made of ABS, booster pump made of nylon, power 360 W, voltage 21 V, air pump with 22 cylinders. Battery life: 15-20 minutes, charging time: 3-4 hours.

Configuration: Sixteen-piston brushless motor (LCD display, three-level pressure adjustment for cleaning mode, four-level pressure adjustment for inflation mode), 1 battery of 3000mAh (10 cells), 1 charger, 1 foam cup, 1 filter net, 5 meters of water pipe, 1 quick connector, 1 six-in-one gun handle, 1 inflation tube, 1 tire repair accessory set, 1 blow molding tool box.

Functions: Water pressure for cleaning function is 2.6 MPa, flow rate is 6 L/min, pressure adjustment on display is three levels. Inflation function is divided into car inflation and off-road vehicle inflation (inflation duration: 5-6 minutes), display mode switching is four levels (car 2.5-2.6, off-road vehicle 2.7-2.8).



纸箱外箱尺寸 Carton size	63*50.5*44cm (6PCS)
毛/净重 Net weight	4.00kg

十六柱塞无刷电机清洗机

Sixteen-piston brushless motor car washing machine

CJ-X30

参数: 枪体ABS、增压泵尼龙、电压21V、射程5米、流量4-4.5升、续航15-20分钟、充电3-4小时、压力1.5 MPa。

配置: 十六柱塞无刷电机(液晶显示屏三档调压) 3000mAh (10节) 电池一块、充电器1个、泡沫壶1个、六合一枪杆1根、水管5米、快接头1个、过滤网1个、吹塑工具箱1个。

Parameters: Gun body made of ABS, booster pump made of nylon, voltage 21V, range 5 meters, flow rate 4-4.5 liters, endurance 15-20 minutes, charging time 3-4 hours, pressure 1.5 MPa.

Configuration: Six plungers brushless motor (LCD display with three-level voltage adjustment), one 3000mAh (10 cells) battery, one charger, one foam cup, one six-in-one gun handle, 5 meters of water pipe, one quick connector, one filter screen, one blow-molding toolbox.



纸箱外箱尺寸 Carton size	63*50.5*44cm (6PCS)	体积 Volume	0.14m ³
装箱数 Number of packages	6		

定制热线/Customized Hotline: 13073800001 13634055789

十六柱塞无刷电机清洗机

Sixteen-piston brushless motor washing machine

H-02

参数：枪体ABS、增压泵尼龙、电压21V、射程6-8米、流量3-5 L/min、续航15-20分钟、充电4小时、压力2.0-2.5 MPa。

配置：十六柱塞无刷电机（液晶显示屏三档调压）3000mAh（10节）电池一块、充电器1个、泡沫壶1个、六合一枪杆1根、水管5米、快接头1个、过滤网1个、吹塑工具箱1个。

Parameters: Gun body made of ABS, booster pump made of nylon, voltage 21V, range 6-8 meters, flow rate 3-5 L/min, endurance 15-20 minutes, charging time 4 hours, pressure 2.0-2.5 MPa.

Configuration: Six plungers brushless motor (LCD screen with three-level voltage adjustment), one 3000mAh (10 cells) battery, one charger, one foam cup, one six-in-one gun handle, 5 meters of water pipe, one quick connector, one filter net, one blow-molding toolbox.



纸箱外箱尺寸 Carton size	62*42*47cm (10PCS)	装箱数Number of packages	6
毛/净重 Net weight	3.80kg		

十四柱塞有刷电机清洗机

Fourteen cylinder brush motor car washing machine

H-01

参数：枪体ABS、增压泵尼龙、电压21V、射程6-8米、流量3-5 L/min、续航15-20分钟、充电4小时、压力2.0-2.5 MPa。

配置：十四柱塞有刷电机，3000mAh（10节）电池1块、充电器1个、泡沫壶1个、六合一枪杆1根、水管5米、快接头1个、过滤网1个、吹塑工具箱1个。

Parameters: Gun body made of ABS, booster pump made of nylon, voltage 21V, range 6-8 meters, flow rate 3-5 L/min, endurance 15-20 minutes, charging time 4 hours, pressure 2.0-2.5 MPa.

Configuration: Fourteen-plunger brush motor, 1 battery of 3000mAh (10 cells), 1 charger, 1 foam cup, 1 six-in-one gun handle, 5-meter water pipe, 1 quick connector, 1 filter screen, 1 blow-molded toolbox.



纸箱外箱尺寸 Carton size	62*42*47cm (6PCS)	体积Volume	0.13m ³
毛/净重 Net weight	3.80kg	装箱数Number of packages	6

十六柱塞无刷电机清洗机

Sixteen-piston brushless motor car washing machine

CJ-X31

参数：枪体ABS、增压泵尼龙、电压21V、射程6-8米、流量3-5 L/min、续航15-20分钟、充电4小时、压力2.0-2.5 MPa。

配置：十六柱塞无刷电机（液晶显示屏三档调压）3000mAh（10节）电池一块、充电器1个、泡沫壶1个、六合一枪杆1根、水管5米、快接头1个、过滤网1个、吹塑工具箱1个。

Parameters: Gun body made of ABS, booster pump made of nylon, voltage 21V, range 6-8 meters, flow rate 3-5 L/min, endurance 15-20 minutes, charging time 4 hours, pressure 2.0-2.5 MPa.

Configuration: Six-piston brushless motor (LCD screen with three-level voltage adjustment) 1 x 3000mAh (10 cells) battery, charger 1, foam cup 1, six-in-one gun handle 1, 5-meter water pipe, quick connector 1, filter screen 1, blow-molding tool box 1.



纸箱外箱尺寸 Carton size	68*37*61cm (10PCS)	体积Volume	0.15m ³
毛/净重 Net weight	3.80kg		

单柱塞有刷电机清洗机

Single-plunger brush motor washing machine

CJ-31-2

参数：枪体ABS、增压泵尼龙、电压21V、射程6-8米、流量3-5 L/min、续航15-20分钟、充电4小时、压力2.0-2.5 MPa。

配置：十六柱塞有刷电机，3000mAh（10节）电池1块、充电器1个、泡沫壶1个、六合一枪杆1根、水管5米、快接头1个、过滤网1个、吹塑工具箱1个。

Parameters: Gun body made of ABS, booster pump made of nylon, voltage 21V, range 6-8 meters, flow rate 3-5 L/min, endurance 15-20 minutes, charging time 4 hours, pressure 2.0-2.5 MPa.

Configuration: Six piston brush motor, 1 battery of 3000mAh (10 cells), 1 charger, 1 foam cup, 1 six-in-one gun handle, 5-meter water pipe, 1 quick connector, 1 filter net, 1 blow-molded toolbox.



纸箱外箱尺寸 Carton size	68*37*61cm (10PCS)	体积Volume	0.15m ³
毛/净重 Net weight	3.80kg		

三柱塞无刷电机清洗机

Three-plunger brushless motor car washing machine

CJ-X15

参数：枪体ABS、增压泵尼龙、电压21V、射程8米左右、流量3-6 L/min、续航20-25分钟左右、充电3-4小时、压力为2.0-2.5 MPa。

配置：三柱塞无刷电机（液晶显示屏三档调压），3000mAh（10节）电池1块、充电器1个、泡沫壶1个、过滤网1个、水管5米、快接头1个、六合一枪杆1根、吹塑工具箱1个。

Parameters: Gun body made of ABS, reciprocating pump made of nylon, voltage 21V, range about 5 meters, flow rate 3-4 liters, endurance 15-20 minutes, charging time 3 hours, pressure 1.4 MPa.

Configuration: A-01 single-plunger brush motor 1200mA (10 units), 1 battery, 1 charger, 1 foam pot, 1 six-in-one gun head gun handle, 5 meters of water pipe, 1 quick connector, 1 filter screen, 1 toolbox.



纸箱外箱尺寸 Carton size	63*50.5*44 cm (6PCS)	装箱数Number of packages	6
毛/净重 Net weight	4.20kg		

三柱塞有刷电机清洗机

Three-plunger brush motor washing machine

CJ-X15-2

参数：枪体ABS、增压泵尼龙、电压21V、射程8米左右、流量3-6 L/min、续航20-25分钟、充电3-4小时、压力为2.0-2.5 MPa。

配置：三柱塞有刷电机，3000mAh（10节）电池1块、充电器1个、泡沫壶1个、水管5米、快接头1个、过滤网1个、六合一枪杆1根、吹塑工具箱1个。

Parameters: Gun body made of ABS, booster pump made of nylon, voltage 21V, range about 8 meters, flow rate 3-6 L/min, battery life 20-25 minutes, charging time 3-4 hours, pressure 2.0-2.5 MPa.

Configuration: Three-plunger brush motor, 1 battery of 3000mAh (10 cells), 1 charger, 1 foam cup, 5-meter water pipe, 1 quick connector, 1 filter net, 1 six-in-one gun barrel, 1 blow-molded toolbox.



纸箱外箱尺寸 Carton size	63*50.5*44cm (6PCS)	体积Volume	0.14m ³
毛/净重 Net weight	4.20kg	装箱数Number of packages	6

单柱塞有刷电机清洗机

Single-plunger brush motor washing machine

CJ-X13

参数：枪体ABS、增压泵尼龙、电压21V、射程5米左右、流量2-3 L/min、续航20分钟左右、充电2-3小时、压力1.0 MPa。

配置：单柱塞有刷电机，1200mAh（10节）电池1块、充电器1个、泡沫壶1个、金属不锈钢枪杆1根、水管5米、快接头1个、过滤网1个、吹塑工具箱1个。

Parameters: Gun body made of ABS, booster pump made of nylon, voltage 21V, range about 5 meters, flow rate 2-3 L/min, battery life about 20 minutes, charging time 2-3 hours, pressure 1.0 MPa.

Configuration: Single piston brush motor, 1200mAh (10 cells) battery 1 piece, charger 1 piece, foam cup 1 piece, metal stainless steel gun barrel 1 piece, 5-meter water pipe, quick connector 1 piece, filter screen 1 piece, blow molding tool box 1 piece.



纸箱外箱尺寸 Carton size	68*37*61cm (10PCS)	体积Volume	0.15m ³
毛/净重 Net weight	2.0kg	装箱数Number of packages	10

单柱塞有刷电机清洗机

Single-plunger brush motor washing machine


CJ-X14

参数：枪体ABS、增压泵尼龙、电压21V、射程5米左右、流量2-3 L/min、续航15-20分钟左右、充电2-3小时、压力0.6-0.8 MPa。

配置：单柱塞有刷电机，1200mAh（10节）电池1块、充电器1个、泡沫壶1个、金属不锈钢枪杆1根、水管5米、快接头1个、过滤网1个、吹塑工具箱1个。

Parameters: Gun body made of ABS, booster pump made of nylon, voltage 21V, range about 5 meters, flow rate 2-3 L/min, battery life 15-20 minutes, charging time 2-3 hours, pressure 0.6-0.8 MPa.

Configuration: Single piston brush motor, 1200mAh (10 cells) battery 1 piece, charger 1 piece, foam cup 1 piece, metal stainless steel gun barrel 1 piece, 5-meter water pipe, quick connector 1 piece, filter screen 1 piece, blow molding tool box 1 piece.



纸箱外箱尺寸 Carton size	68*37*61cm (10PCS)	装箱数Number of packages	10
毛/净重 Net weight	2.40kg		

单柱塞有刷电机清洗机 Single piston brush motor cleaning machine

A-01

参数: 枪体ABS、往复泵尼龙、电压21V、射程5米左右、流量3-4 L/min、续航15-20分钟左右、充电3小时左右、压力1.4 MPa。

配置: 单柱塞有刷电机, 1200 mAh (10节) 电池1块、充电器1个、泡沫壶1个、六合一枪杆1根、水管5米、快接头1个、过滤网1个、吹塑工具箱1个。

Parameters: Gun body made of ABS, reciprocating pump made of nylon, voltage 21V, range about 5 meters, flow rate 3-4 L/min, endurance 15-20 minutes, charging time about 3 hours, pressure 1.4 MPa.

Configuration: Single piston brush motor, 1200 mAh (10 cells) battery 1 piece, charger 1 piece, foam cup 1 piece, six-in-one gun handle 1 piece, 5-meter water pipe, quick connector 1 piece, filter screen 1 piece, blow molding toolbox 1 piece.



纸箱外箱尺寸 Carton size	68*37*61cm (10PCS)	体积 Volume	0.15m ³
毛/净重 Net weight	2.70kg	装箱数 Number of packages	10

单柱塞有刷电机清洗机 Single-plunger brush motor washing machine

W-02

参数: 枪体ABS、增压泵尼龙、电压21V、射程5米左右、流量4-4.5 L/min、续航30分钟、充电3-4小时、压力1.5 MPa。

配置: 单柱塞有刷电机, 1500 mAh (10节) 电池1块、充电器1个、泡沫壶1个、六合一枪杆1根、水管5米、快接头1个、过滤网1个、吹塑工具箱1个。

Parameters: Gun body made of ABS, booster pump made of nylon, voltage 21V, range about 5 meters, flow rate 4-4.5 L/min, endurance 30 minutes, charging time 3-4 hours, pressure 1.5 MPa.

Configuration: Single piston brush motor, 1500 mAh (10 cells) battery 1 piece, charger 1 unit, foam cup 1 unit, six-in-one gun handle 1 unit, 5-meter water pipe, quick connector 1 unit, filter screen 1 unit, blow-molded toolbox 1 unit.



纸箱外箱尺寸 Carton size	68*37*61cm (10PCS)	体积 Volume	0.15m ³
毛/净重 Net weight	3.00kg	装箱数 Number of packages	10



高压清洗机系列 High-pressure cleaning machine series

01 清洁效率高, 省力省水
High cleaning efficiency, saves effort and water

02 配件齐全一体化
Comprehensive accessories integrated

03 低噪音、轻量化电机
Low noise, lightweight motor



锂电高压清洗机

Lithium battery high-pressure cleaning machine

CJ-01

锂电插电皆可定制

参数:

锂电款: 增压泵尼龙, 功率600 W, 电压21 V, 流量7 L, 压力3.5 MPa。

插电款: 三柱塞泵, 功率800-100 W, 电压220 V, 流量8 L, 压力6.0 MPa。

配置: 单柱塞无刷电机1500mA电池(10节)2块、充电器1个、2米进水管1根、10米出水管1根、枪+六合一枪头1把、泡沫壶1个、快接头1个、过滤网1个。

Both lithium battery and plug-in models can be customized.

Parameters:

Lithium battery version: Booster pump made of nylon, power 600 W, voltage 21 V, flow rate 7 L, pressure 3.5 MPa.

Plug-in version: Three piston pump, power 800-100 W, voltage 220 V, flow rate 8 L, pressure 6.0 MPa.

Configuration: Single piston brushless motor with 1500 mA battery (10 cells) 2 pieces, charger 1 unit, 2-meter inlet pipe 1 piece, 10-meter outlet pipe 1 piece, gun + six-in-one gun head 1 piece, foam pot 1 piece, quick connector 1 piece, filter net 1 piece.



纸箱外箱尺寸 Carton size	58*38*38cm
体积Volume	0.08m ³

CJ-020

调压款

Pressure regulating device



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-12L

CJ-021

调压款

Pressure regulating device



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-12L

CJ-380



电压Voltage	110V-220v
功率Power	600W-1500W
流量Traffic	6L-8L
压力Pressure	5-8MPa

CJ-022



参数功率大小皆可定制

The power level of the parameters can all be customized.

CJ-023



参数功率大小皆可定制

The power level of the parameters can all be customized.

CJ-024



参数功率大小皆可定制

The power level of the parameters can all be customized.

CJ-025



参数功率大小皆可定制

The power level of the parameters can all be customized.

CJ-026



参数功率大小皆可定制

The power level of the parameters can all be customized.

CJ-027



参数功率大小皆可定制

The power level of the parameters can all be customized.

手提清洗机系列

Portable cleaning machine series

01 轻便手提，随时随地移动，不受场地、水源限制
Portable and easy to carry, it can be moved at any time and place without being restricted by the venue or water source.

02 结构简单，拆装水管快，新手零门槛操作
The structure is simple, and the water pipes can be disassembled and assembled quickly. Even beginners can operate it with zero learning curve.

03 自带压力表，水压可控，耐用散热好
It comes with a pressure gauge, allowing you to control the water pressure. It is durable and has good heat dissipation.

CJ-028



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-029



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-030



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-031



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-032



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-033



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-034



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-035



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-036



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-037



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-038



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-039



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-040



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-041



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-042



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

CJ-043



电压Voltage	110V-220v
功率Power	600W-1200W
流量Traffic	7L-10L

电链锯系列 Electric Chainsaw Series

AI智能六寸马刀锯 AI intelligent six-inch saber saw

YS-L06001

额定电压 Rated voltage	21V
据切直径(Cutting diameter)	90mm/120mm
链条 (Chain size)	1/4"32E 1/4"36E
输出转速 Output Rotational speed	4800 R/MIN
锯链线速度(Chain speed)	7.8m/s
导板长度 Guide plate length	6寸
驱动居链(Chain sprocket)	7 teeth
导板厚度(Thickness of the guide)	3.2mm
机身量(Machine weight)	990g
电芯品牌Cell brand	天辉

纸箱外箱尺寸 Carton size	58X28X41CM(8PCS)	锂电池规格(Li-battery)	21V
塑箱尺寸 Shaped box size	45.1X22.4X15.1CM	锂电池外壳	ABS壳料三合金保护板
裸机加塑盒重量	2.1KG/台(12.5KG/5台)	无刷电机Brushless motor	3825 无刷电机 BL
塑箱外箱尺寸 Carton size	79X46.5X24CM(5PCS)	电流	0-35A



六寸AI智能电链锯

Six-inch AI intelligent electric chain saw

YS-L06002

额定电压 Rated voltage	21V
额定功率 Rated power	0-500W
空载转速 Rotational speed	24000 R/MIN
输出转速 Output Rotational speed	4200 R/MIN
链条材质 Chain material	高硬度淬火
导板长度 Guide plate length	6寸
链条调节 Chain adjustment	免工具调节
链速 Chain speed	8.5M/S
齿轮 Gear	全钢齿轮
净重 Net weight	1KG



纸箱外箱尺寸 Carton size	58X28X41CM(8PCS)	电池规格 Battery Specifications	ABS壳料三合金保护板
塑箱尺寸	45.1X22.4X15.1CM	电芯品牌 Cell brand	天辉
裸机加塑盒重量	2.1KG/台(12KG/5台)	无刷电机 Brushless motor	3820无刷电机 BL
塑箱外箱尺寸 Carton size	79X46.5X24CM(5PCS)	电流	0-35A

数显六寸电链锯

Digital display six-inch electric chain saw

YS-L06003

额定电压 Rated voltage	21V
额定功率 Rated power	90mm/120mm
空载转速 NO-load Rotational speed	1/4"32E 1/4"36E
输出转速 Output Rotational speed	4800 R/MIN
链条材质 Chain material	7.8m/s
导板长度 Guide plate length	6寸
链条调节 Chain adjustment	7 teeth
链速 Chain speed	3.2mm
齿轮 Gear	990g
净重 Net weight	天辉



纸箱外箱尺寸 Carton size	58X28X41CM(8PCS)	电池规格 Battery Specifications	ABS壳料三合金保护板
塑箱尺寸	45.1X22.4X15.1CM	电芯品牌 Cell brand	天辉
裸机加塑盒重量	2.1KG/台(12KG/5台)	无刷电机 Brushless motor	3820 无刷电机 BL
塑箱外箱尺寸 Carton size	79X46.5X24CM(5PCS)	电流	0-35A

数显12寸电链锯

Digital display 12-inch electric chainsaw

YS-L12001



额定电压 Rated voltage	21V
额定功率 Rated power	0-800W
空载转速 Rotational speed	24000 R/MIN
输出转速 Output Rotational speed	4900 R/MIN
链条材质 Chain material	高硬度淬火
导板长度 Guide plate length	12寸
链条调节 Chain adjustment	免工具调节
齿轮 Gear	粉末冶金齿轮
链速 Chain speed	8.5M/S
净重 Net weight	1.5KG
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉

纸箱外箱尺寸 Carton size	63X45X37CM(8PCS)	塑箱尺寸	62.2X24X17CM
塑箱尺寸	38X28X17CM	裸机加塑盒重量	2.9KG/台(13.6KG/4台)
裸机加塑盒重量	2.5KG/台(11.5KG/4台)	塑箱外箱尺寸 Carton size	64.5X49.5X35.5(4PCS)
塑箱外箱尺寸 Carton size	70X39.5X30CM(4PCS)	电池规格 Battery Specifications	ABS壳料三合金保护板

数显12寸AI电链锯

Digital display 12-inch AI electric chain saw

YS-L12002



额定电压 Rated voltage	21V
额定功率 Rated power	0-800W
空载转速 Rotational speed	24000 R/MIN
输出转速 Output Rotational speed	4900 R/MIN
链条材质 Chain material	高硬度淬火
导板长度 Guide plate length	12寸
链条调节 Chain adjustment	免工具调节
齿轮 Gear	全钢齿轮
链速 Chain speed	8.5M/S
净重 Net weight	1.5KG
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉

纸箱外箱尺寸 Carton size	63X45X37CM(8PCS)	塑箱尺寸	62.2X24X17CM
塑箱尺寸	38X28X17CM	裸机加塑盒重量	2.9KG/台(13.6KG/4台)
裸机加塑盒重量	2.5KG/台(11.5KG/4台)	塑箱外箱尺寸 Carton size	64.5X49.5X35.5(4PCS)
塑箱外箱尺寸 Carton size	70X39.5X30CM(4PCS)	无刷电机 Brushless motor	4825无刷电机 BL

暴风机系列 Blower Series

工业 / 工地: Industry / Construction Site:

吹走装修粉尘、切割废渣、设备积灰
Remove construction dust, cutting waste residue,
and equipment dust accumulation

户外庭院: Outdoor Courtyard:

清扫落叶、吹除台阶积雪、露营生火助燃
Clear fallen leaves, blow off snow on steps, and light a
fire for combustion in camping

汽修洗车: Auto Repair and Car Wash:

吹干车身缝隙积水、清理发动机舱泥沙
Dry water accumulated in vehicle gaps,
clean engine compartment dirt

家用清洁: Household Cleaning:

键盘 / 空调除尘、宠物毛发清理、窗户缝隙吹扫
Clean keyboards / air conditioners, remove pet hair, and
sweep gaps in windows

吹吸两用暴风机 Blow and suction dual-purpose blower

YS-B001

额定电压 Bated Voltage	21V
额定功率 Input Power	550W
负载转速 Load Speed	33000R/MIN
空载转速 No Load Speed	40000R/MIN
毛/净重 Net weight	0.8KG
风力 Blowing force	0-1400g
吸风管容量 Suction duct capacity	300ML
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉

机器盒包装尺寸 Packing Size	28.5*21.5*20CM
裸机加风管加包装重量	1.5KG/台(10.5KG/6台)
外箱包装尺寸 Packing Size	66X30X41.5CM(6PCS)
塑箱外箱尺寸 Carton size	60X48X33CM (5PCS)



六档调速暴风机 Six-speed variable-speed blower

YS-B002

额定电压 Bated Voltage	21V
额定功率 Input Power	550W
负载转速 Load Speed	33000R/MIN
空载转速 No Load Speed	40000R/MIN
毛/净重 Net weight	0.8KG
风力 Blowing force	0-1200g
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉

机器盒包装尺寸 Packing Size	28.5*21.5*20CM
裸机加风管加包装重量	1.5KG/台(10.5KG/6台)
外箱包装尺寸 Packing Size	66X30X41.5CM(6PCS)
塑箱外箱尺寸 Carton size	60X48X33CM (5PCS)

档位	功率	电流	电压	风速	CFM
一档:	500W	6A	21V	31m/s	238
二档:	670W	9A	21V	36m/s	277
三档:	830W	12A	21V	40m/s	308
四档:	990W	16A	21V	45m/s	346
五档:	1140W	20A	21V	50m/s	385
六档:	1300W	25.5A	21V	53m/s	408



机器盒包装尺寸 Packing Size	40.5*28.5*12.5CM
裸机加风管加包装重量	1.5KG/台(9KG/5台)
外箱包装尺寸 Packing Size	64X42X30CM(5PCS)
无刷电机 Brushless motor	3518 涵道电机

无级变速暴风机 Variable-speed blowers

YS-B003

额定电压 Bated Voltage	21V
额定功率 Input Power	550W
负载转速 Load Speed	33000R/MIN
空载转速 No Load Speed	40000R/MIN
毛/净重 Net weight	0.8KG
风力 Blowing force	0-1200g
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉



机器盒包装尺寸 Packing Size	28.5*21.5*20CM	机器盒包装尺寸 Packing Size	40.5*28.5*12.5CM
裸机加风管加包装重量	1.5KG/台(10.5KG/6台)	裸机加风管加包装重量	1.5KG/台(9KG/5台)
外箱包装尺寸 Packing Size	66X30X41.5CM(6PCS)	外箱包装尺寸 Packing Size	64X42X30CM(5PCS)
塑箱外箱尺寸 Carton size	60X48X33CM (5PCS)	无刷电机 Brushless motor	3518通道电机
电流	25A		

无极变速暴风机 Variable-speed blowers

YS-B004

额定电压 Bated Voltage	21V
额定功率 Input Power	500W
空载转速 No Load Speed	35000R/MIN
毛/净重 Net weight	0.95KG
风力 Blowing force	0-1100g
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉



机器盒包装尺寸 Packing Size	44.5*34.5*14CM	裸机加风管加包装重量	1.8KG/台(8.7KG/4台)
裸机加风管加包装重量	1.8KG/台(11KG/5台)	纸箱外箱尺寸 Carton size	47X47X41CM (4PCS)
外箱包装尺寸 Packing Size	75X45.5X35.5CM(5PCS)	无刷电机 Brushless motor	3825电机
机器盒包装尺寸 Packing Size	39*22.5*22.5CM	电流	21A

调头款吹吸两用暴风机 Reversing model blow and suction dual-purpose vacuum cleaner

YS-B005

额定电压 Bated Voltage	21V
额定功率 Input Power	550W
负载转速 Load Speed	33000R/MIN
空载转速 No Load Speed	40000R/MIN
毛/净重 Net weight	0.9KG
风力 Blowing force	0-1450g
吸风管容量 Suction duct capacity	600ML
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉



档位	功率	电流	电压	风速	CFM
一档	500W	6A	21V	31m/s	238
二档	670W	9A	21V	36m/s	277
三档	830W	12A	21V	40m/s	308
四档	990W	16A	21V	45m/s	346
五档	1140W	20A	21V	50m/s	385
六档	1300W	25.5A	21V	53m/s	408

塑箱外箱尺寸 Carton size	42cmx27cmx19.8cm	纸箱外箱尺寸 Carton size	46.5x40.5x39.5mm(4PCS)
机器盒包装尺寸 Packing Size	39x22.5x19CM	无刷电机 Brushless motor	3518通道电机
裸机加包装重量	1.5KG/台(7.3KG/4台)		

小旋转吹叶机 Small rotary leaf blower

YS-C001

额定电压 Bated Voltage	21V
额定功率 Input Power	550W
负载转速 Load Speed	33000R/MIN
空载转速 No Load Speed	40000R/MIN
毛/净重 Net weight	1KG
风力 Blowing force	0-1400g (0-535CFM)
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉



机器盒包装尺寸 Packing Size	34*22.5*20CM	无刷电机 Brushless motor	3518通道电机
裸机加风管加包装重量	1.7KG/台(11.7KG/6台)	电流	25A
外箱包装尺寸 Packing Size	71X35.5X43CM(6PCS)		

大旋转吹叶机 Large rotary leaf blower

YS-C002

额定电压 Bated Voltage	21V
额定功率 Input Power	500W
空载转速 No Load Speed	31000R/MIN
毛/净重 Net weight	1.1KG
风力 Blowing force	0-1100g (0-535CFM)
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉



机器盒包装尺寸 Packing Size	44.5*34.5*14CM	机器盒包装尺寸 Packing Size	39*22.5*22.5CM
裸机加风管包装重量	2.2KG/台(10.3KG/5台)	裸机加风管加包装重量	1.95KG/台(9.3KG/4台)
外箱包装尺寸 Packing Size	75x45.5x35.5CM(5PCS)	纸箱外箱尺寸 Carton size	47X47X41CM (4PCS)
电流 Electricity	21A	无刷电机 Brushless motor	3825电机

手提吹叶机 Portable leaf blower

YS-C003

额定电压 Bated Voltage	21V
额定功率 Input Power	500W
空载转速 No Load Speed	31000R/MIN
毛/净重 Net weight	1.1KG
风力 Blowing force	0-1100g
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉



机器盒包装尺寸 Packing Size	44.5*34.5*14CM	机器盒包装尺寸 Packing Size	39*22.5*22.5CM
裸机加风管加包装重量	1.95KG/台(11.5KG/5台)	裸机加风管加包装重量	1.95KG/台(9.3KG/4台)
外箱包装尺寸 Packing Size	75x45.5x35.5CM(5PCS)	纸箱外箱尺寸 Carton size	47X47X41CM (4PCS)
电流 Electricity	21A	无刷电机 Brushless motor	3825电机

旋转调头款吹吸两用吹叶机 Reversing model blow and suction dual-purpose vacuum cleaner

YS-C005

额定电压 Bated Voltage	21V
额定功率 Input Power	550W
负载转速 Load Speed	33000R/MIN
空载转速 No Load Speed	40000R/MIN
毛/净重 Net weight	1KG
风力 Blowing force	0-1450g
吸风管容量 Suction duct capacity	600ML
电池规格 Battery Specifications	ABS壳料三合金保护板
电芯品牌 Cell brand	天辉



档位	功率	电流	电压	风速	CFM
一档	500W	6A	21V	31m/s	238
二档	670W	9A	21V	36m/s	277
三档	830W	12A	21V	40m/s	308
四档	990W	16A	21V	45m/s	346
五档	1140W	20A	21V	50m/s	385
六档	1300W	25.5A	21V	53m/s	4082

塑箱外箱尺寸 Carton size	42cmx27cmx19.8cm	纸箱外箱尺寸 Carton size	46.5x40.5x39.5mm(4PCS)
机器盒包装尺寸 Packing Size	39x22.5x19CM	无刷电机 Brushless motor	3518通道电机
裸机加包装重量	1.9KG/台(8.6KG/4台)		



暴力风扇 Violent fan

SK-1300

参数：电机转速60,000 rpm、额定功率600 W、最大推力1,300 g (13 N)、电压18-21 V、通道尺寸64 mm。

配置：SK-1300暴力风扇一电一充搭配Type-C充电接口1根。

Parameters: Motor speed 60,000 rpm, rated power 600 W, maximum thrust 1,300 g (13 N), voltage 18-21 V, nozzle size 64 mm.

Configuration: SK-1300 powerful fan, one power supply and one charging unit, with a Type-C charging interface included.

纸箱外箱尺寸 Carton size	230*120*75mm
毛/净重 Net weight	0.40kg



暴力风扇 Violent fan

SK-1600


参数：电机转速60,000 rpm、额定功率600 W、最大推力1,300 g (13 N)、电压18-21 V、通道尺寸64 mm。

配置：SK-1300暴力风扇一电一充搭配Type-C充电接口1根。

Parameters: Motor speed 60,000 rpm, rated power 600 W, maximum thrust 1,300 g (13 N), voltage 18-21 V, nozzle size 64 mm.

Configuration: SK-1300 powerful fan, one power supply and one charging unit, with a Type-C charging interface included.

纸箱外箱尺寸 Carton size	240*110*86mm
毛/净重 Net weight	0.50kg



暴力风扇 Single-plunger brush motor

SK-200

参数：电机转速130,000 rpm、电机功率160 W、电压6-8.4 V、最大风速52 m/s、最大推力220 g (2.2 N)。

配置：SK-200暴力风扇一电一充搭配Type-C充电接口1根。

Parameters: Motor speed 130,000 rpm, motor power 160 W, voltage 6-8.4 V, maximum wind speed 52 m/s, maximum thrust 220 g (2.2 N).

Configuration: SK-200 powerful fan, one power supply and one charging unit, with a Type-C charging interface included.

纸箱外箱尺寸 Carton size	110*80*35 mm
毛/净重 Net weight	0.40kg



暴力风扇 Violent fan

SK-200A

参数：电机转速130,000 rpm、电机功率160 W、电压6-8.4 V、最大风速52 m/s、最大推力220 g (2.2 N)。

配置：SK-200A暴力风扇一电一充搭配Type-C充电接口1根。

Parameters: Motor speed 130,000 rpm, motor power 160 W, voltage 6-8.4 V, maximum wind speed 52 m/s, maximum thrust 220 g (2.2 N).

Configuration: SK-200A powerful fan, one power supply and one charging unit, with a Type-C charging interface included.

纸箱外箱尺寸 Carton size	110*80*35 mm
毛/净重 Net weight	0.40kg



锂电剪刀系列 Lithium Battery Scissors Series

01 人体工学握把; 把舒适省力
The ergonomic handle is comfortable and easy to use.

02 刀头锋利; 快速修剪
The blade is sharp and can trim quickly.

03 长续航电池; 持久作业
The long-lasting battery enables continuous operation.



2.5公分剪刀 2.5 centimeter scissors

YS-J0025-1

锂电池电压Lithium Battery Voltage	16.8V
锂电池规格Lithium Battery Specification	1.5Ah
额定功率Rated Power	500W
空载转速No-load Speed	22000R/MIN
剪切直径Cutting Diameter	25MM
剪切速度Cutting Speed	0.4 Seconds/Time
电池规格Battery Specifications	ABS壳料三合金保护板
电芯品牌Cell brand	天辉



塑箱包装尺寸 Packing Size	35X30X9.5CM	剪切口径大小 The size of the cutting aperture	2.3cm
裸机加包装重量	1.6KG	电机型号Motor model	3150 (20叠高)
纸箱外箱尺寸 Carton size	49.5*36.5*31.5CM (5PCS)		

3.0公分剪刀 3.0 centimeter scissors

YS-J0030

锂电池电压Lithium Battery Voltage	21V
锂电池规格Lithium Battery Specification	1.5Ah
额定功率Rated Power	500W
空载转速No-load Speed	22000R/MIN
剪切直径Cutting Diameter	30MM
剪切速度Cutting Speed	0.4 Seconds/Time
电池规格Battery Specifications	ABS壳料三合金保护板
电芯品牌Cell brand	天辉



塑箱包装尺寸 Packing Size	34.5X23.5X10.5CM	纸箱外箱尺寸 Carton size	55*36.5*25CM (5PCS)
裸机加包装重量	1.7KG	电机型号 Motor model	3163 (25叠高)

3.2公分剪刀

3.2 centimeter scissors

YS-J0032

锂电池电压Lithium Battery Voltage	21V
锂电池规格Lithium Battery Specification	1.5Ah
额定功率Rated Power	500W
空载转速No-load Speed	22000R/MIN
剪切直径Cutting Diameter	32MM
剪切速度Cutting Speed	0.4 Seconds/Time
电池规格Battery Specifications	ABS壳料三合金保护板
电芯品牌Cell brand	天辉



塑箱包装尺寸 Packing Size	34.5X23.5X10.5CM	纸箱外箱尺寸 Carton size	55*36.5*25CM (5PCS)
裸机加包装重量	1.6KG	电机型号 Motor model	3163 (25叠高)

4.0公分剪刀

4.0 centimeter scissors

YS-J0040

锂电池电压Lithium Battery Voltage	21V
锂电池规格Lithium Battery Specification	1.5Ah
额定功率Rated Power	500W
空载转速No-load Speed	22000R/MIN
剪切直径Cutting Diameter	40MM
剪切速度Cutting Speed	0.4 Seconds/Time
电池规格Battery Specifications	ABS壳料三合金保护板
电芯品牌Cell brand	天辉



配件Accessories	2 × Battery Packs / 1 × Charger	包装尺寸 (mm) Packing Size	
净重/毛重 (kg) Net Weight/Gross Weight(kg)	1kg	无刷电机Brushless motor	3163 (30叠高) BL

4.5公分剪刀

4.5 centimeter scissors

YS-J00450

锂电池电压Lithium Battery Voltage	21V
锂电池规格Lithium Battery Specification	2.0Ah
额定功率Rated Power	500W
空载转速No-load Speed	22000R/MIN
剪切直径Cutting Diameter	45MM
剪切速度Cutting Speed	0.4 Seconds/Time
电池规格Battery Specifications	ABS壳料三合金保护板
电芯品牌Cell brand	天辉



配件Accessories	2 × Battery Packs / 1 × Charger	包装尺寸 (mm) Packing Size	53*38*30CM (5PCS)
净重/毛重 (kg) Net Weight/Gross Weight(kg)	1kg	无刷电机Brushless motor	芯迪3365 (42叠高) BL

5.0公分剪刀

5.0 centimeter scissors

YS-J0050

锂电池电压Lithium Battery Voltage	21V
锂电池规格Lithium Battery Specification	2.0Ah
额定功率Rated Power	500W
空载转速No-load Speed	22000R/MIN
剪切直径Cutting Diameter	50MM
剪切速度Cutting Speed	0.4 Seconds/Time
电池规格Battery Specifications	ABS壳料三合金保护板
电芯品牌Cell brand	天辉



塑箱包装尺寸 Packing Size	36*28*10CM	纸箱外箱尺寸 Carton size	53*38*30CM (5PCS)
裸机加包装重量	2KG	无刷电机Brushless motor	英吉士3365 (45叠高) BL